

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

STATE PUBLIC HEALTH LABORATORY

BREATH ALCOHOL PROGRAM

INTOX EC/IR II MAINTENANCE REPORT

	of the regular monthly prevent we want	ilui payat 3.22 aili, i.eu ut, 2010		
Complete this report at the time of the regular monthly prevent days). Complete this report whenever the instrument is serviced or repaired and whenever it is placed				
into service. Retain the original and send a copy within 15 days to the Breath Alcohol Program, DHSS.				
INTOX EC/IR II SN	NAME OF AGENCY	DATE OF INSPECTION		
12684	SPRINGFIELD POLICE DEPT	01/26/2016		
LOCATION OF INSTRUMENT (STREET AND CIT	Υ)	TIME OF INSPECTION		
2620 W BATTLEFIELD SPRINGFIELI), MO. 65807	15:31 CST		
CHECKLIST: Place a mark in the box by each item if found to be satisfactory or is operating within				
established limits. (Write in observed values where determined). Unmarked items must be corrected				
before using instrument.				
X DIAGNOSTIC RECORD				
X BLANK CHECK	Х СО2 СНЕСК			
X FC 1 TEMP	X FLOW CHECK	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		
X SRC TEMP	X FCB CHECK			
	X CRC COMP CHE	OV		
X DET TEMP				
X BT TEMP	X CRC CAL CHEC	K		
X STD 2 TEMP	X PRINT TEST			
X ETH CHECK				
BREATH ANALYZER ACCURACY STANI	PARDS			
SIMULATOR SOLUTION	X COMPRESSED E	THANOL-GAS MIXTURE		
X STANDARD SUPPLIER INTO	KIMETERS LOT# AG515307	EXP. DATE 06/02/2017		
SIMULATOR TEMP (34°C ±0.2°C	SIMULATOR S/N	SIMULATOR EXP DATE		
—	,			
Harry Anna Carlon Control	THE CHARLES TO BE LIGHT DED WATER	BRUNNER DEDORM)		
X CALIBRATION CHECK - (ONLY ONE STANDARD IS TO BE USED PER MAINTENANCE REPORT)				
		i i		
Run three tests using a star	dard solution. All three tests m	ust be within ±5% of the standard value		
Run three tests using a star and must have a spread of .0	dard solution. All three tests m	i i		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED)	dard solution. All three tests moon or less. Mark the box correspondent	ust be within <u>+</u> 5% of the standard value onding to the standard solution being		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL	dard solution. All three tests most or less. Mark the box corresponding BETWEEN 0.095% AND 0.105% INCLUS	ust be within <u>+</u> 5% of the standard value onding to the standard solution being		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL	dard solution. All three tests most of less. Mark the box corresponding BETWEEN 0.095% AND 0.105% INCLUS DETWEEN 0.076% AND 0.084% INCLUS	ust be within <u>+</u> 5% of the standard value onding to the standard solution being EVE EVE		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL	dard solution. All three tests most or less. Mark the box corresponding BETWEEN 0.095% AND 0.105% INCLUS	ust be within <u>+</u> 5% of the standard value onding to the standard solution being EVE EVE		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL	dard solution. All three tests most or less. Mark the box corresponds BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	ust be within <u>+</u> 5% of the standard value onding to the standard solution being EVE EVE EVE		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L	dard solution. All three tests most or less. Mark the box corresponds between 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	ust be within ±5% of the standard value onding to the standard solution being EVE EVE TEST 3 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L	dard solution. All three tests most or less. Mark the box corresponds BETWEEN 0.095% AND 0.105% INCLUS BETWEEN 0.076% AND 0.084% INCLUS BETWEEN 0.038% AND 0.042% INCLUS	ust be within ±5% of the standard value onding to the standard solution being EVE EVE TEST 3 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH	dard solution. All three tests med of or less. Mark the box corresponds of BETWEEN 0.095% AND 0.105% INCLUS DETWEEN 0.076% AND 0.084% INCLUS DETWEEN 0.038% AND 0.042% INCLUS TEST 2 0.100 g/210L	TEST 3 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31	dard solution. All three tests most of less. Mark the box corresponds of less. Mark the box corresponds of less. Mark the box corresponds of less of l	TEST 3 . 0.100 g/210L TEST 3 . 0.100 g/210L TEST 1 . 0.100 g/210L TEST 3 . 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY AL	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 0.100 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 . 0.100 g/210L TEST 3 . 0.100 g/210L TEST 1 . 0.100 g/210L TEST 3 . 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY AL	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 . 0.100 g/210L TEST 3 . 0.100 g/210L TEST 1 . 0.100 g/210L TEST 3 . 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 . 0.100 g/210L TEST 3 . 0.100 g/210L TEST 1 . 0.100 g/210L TEST 3 . 0.100 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 0.100 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1.00 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ADSAUSSALS AND WITHIN ESTABLISHED 1.00 MEETS DEPT OF HLTH STDS	dard solution. All three tests most of less. Mark the box corresponds of less of less. Mark the box corresponds of less of l	TEST 3 0.100 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L		
Run three tests using a star and must have a spread of .(used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED	dard solution. All three tests med to some less. Mark the box corresponds of less. Mark the box corresponds of less. Mark the box corresponds of less than 0.095% and 0.105% INCLUS of BETWEEN 0.076% and 0.084% INCLUS of TEST 2 0.100 g/210L TEST 2 0.100 g/210L TESTS IN THE FOLLOWING RANGES SINGULATION OR MODIFICATION THAT WAS MADE TO RESIDENT OF LIMITS (USE OTHER SIDE IF NECESSARY).	TEST 3 0.100 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L TEST 3 0.000 g/210L		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST READ 0.08% STANDARD - MUST READ 0.04% STANDARD - MUST READ 1.00 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ADSAUSSALS AND WITHIN ESTABLISHED 1.00 MEETS DEPT OF HLTH STDS	dard solution. All three tests most or less. Mark the box corresponds or less. Mark the box corresponds of the solution of the	TEST 3 0.100 g/210L TEST 3 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.08% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ADSAUSSACTORILY AND WITHIN ESTABLISHED DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE	dard solution. All three tests most or less. Mark the box corresponds or less in the set of less of less of less or less of less or le	TEST 3 · 0.100 g/210L TEST 3 · 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRE	dard solution. All three tests most or less. Mark the box corresponds or less inclus or less than 0.095% and 0.105% inclus or less inclus or less in the following ranges since the less included by the less of less included by the less included by t	TEST 3 · 0.100 g/210L TEST 3 · 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRE	dard solution. All three tests most or less. Mark the box corresponds or less in the set of less of less of less or less of less or le	TEST 3 · 0.100 g/210L TEST 3 · 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER EXPIRE	dard solution. All three tests me to some solution. All three tests me to some solution. All three tests me to solution of less. Mark the box corresponds of less. Mark the box corresponds of less in the solution of less in	TEST 3 · 0.100 g/210L TEST 3 · 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		
Run three tests using a star and must have a spread of .0 used. (PRINTOUT ATTACHED) X 0.10% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL 0.04% STANDARD - MUST REAL TEST 1 0.100 g/210L INDICATE THE NUMBER OF BREATH REFUSALS 0 004 31 LIST ANY NEW PARTS AND DESCRIBE ANY ALL SATISFACTORILY AND WITHIN ESTABLISHED MEETS DEPT OF HLTH STDS INSPECTING OFFICER SIGNATURE TYPE II PERMIT NUMBER TYPE II PERMIT NUMBER 250179 08/	dard solution. All three tests me to some solution. All three tests me to some solution. All three tests me to solution of less. Mark the box corresponds of less. Mark the box corresponds of less in the solution of less in	TEST 3 · 0.100 g/210L TEST 3 · 0.100 g/210L TEST THE LAST MAINTENANCE REPORT: .1519 0 OVER .19 0 STORE THE INSTRUMENT TO OPERATE		



Airgas USA LLC (LAB)

12687

3500 Bernard Street

St. Louis, Mo. 63103

Ph: (314) 533-3100

Fax: (314) 533-7328

Certificate of Analysis

Customer Name Intoximeters, Inc. 2081 Craig Road St. Louis, Mo 63146

Test Date: 2-Jun-2015

Lot # AG515307

Exp. Date 2-Jun-2017 <u>Cyl. Type</u> 108 Component Ethanol Certified Concentration 0.100 ± 2% BrAC (272 ppm)

Nitrogen

Balance

Certification Traceable to N.I.S.T. RGM Ethanol Standards:

Serial No.	<u>Concentration</u>	Serial No.	Concentration
EB0010581	391.8 ppm	EB0010603	392.5 ppm
EB0010570	259.8 ppm	EB0010559	258.9 ppm
EB0010285	209.0 ppm	EB0010595	208.9 ppm
EB0010561	103.7 ppm	EB0010562	104.9 ppm
EB0010561	103.7 ppm	EB0010562	104.9 ppm
EB0010681	52.22 ppm	EB0010579	52.94 ppm

Analytical Method:

NDIR

Digitally signed by Quality Control Date: 2015.06.03 10:50:13 - 05:00 Reason: Dry gas standard certification of analysis Location: Airgas USA LLC (Lab)

Analyst:

Rod Marsala

ISO 17025:2005 A2LA accredited. Certificate Number 2989,01



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES **BREATH ALCOHOL PROGRAM**



PERMIT TYPE II

TONY D'ANDREA

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

DATAMASTER, INTOXILYZER 5000, INTOX EC/IR II

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

8/10/2015 DIRECTOR OF STATE PUBLIC HEALTH LABORATORY NUMBER 250179 Dal Vaster EXPIRES 8/10/2017 DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES

MO 580-0771 (6-10)

LAB-4 (R5-10)



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES BREATH ALCOHOL PROGRAM

The named cardholder is authorized to operate an evidential breath alcohol instrument for the determination of the alcoholic content in breath form of expired as in Missouri



Operator D'ANDREA, TONY

Permit No 250179

Date Issued 8/10/2015 Date Expires 8/10/2017